



3 1176 00156 1423

# NASA Technical Memorandum 80196

## COMPUTER PROGRAMS FOR ESTIMATING CIVIL AIRCRAFT ECONOMICS

FOR REFERENCE

NOT TO BE TAKEN FROM THIS ROOM

DAL V. MADDALON  
JOHN K. MOLLOY  
MILTON J. NEUBAUER, JR.

JANUARY 1980

LIBRARY COPY

FEB 20 1980

LANGLEY RESEARCH CENTER  
LIBRARY, NASA  
HAMPTON, VIRGINIA



National Aeronautics and  
Space Administration

Langley Research Center  
Hampton, Virginia 23665

## SUMMARY

Computer programs were developed to calculate airline direct operating cost, indirect operating cost, and return on investment. These programs provide a means for determining commercial aircraft life-cycle cost and economic performance. The program codes can be easily incorporated into existing aircraft design programs. A representative wide-body subsonic jet aircraft was evaluated to illustrate use of the programs.

## INTRODUCTION

Those engaged in developing advanced aircraft must evaluate technology candidates for possible incorporation into the aircraft. This is usually done by attempting to understand such trades as: range versus payload; aerodynamic, propulsion, and structural interactions (impact on weight and fuel burned); and noise reduction versus performance change. Also critical, however, to any decision on whether or not to incorporate a suggested beneficial technological advance, is knowledge of the cost of developing the new technology and how it will affect the aircraft's economic performance over its lifetime. The technical tradeoffs made in preliminary aircraft analysis are usually accomplished by complex computer programs which contain individual segments representing the various aeronautical disciplines but lack a means of evaluating the aircraft's economics. Airframe manufacturers and others have developed computer programs to perform these calculations; however, these programs are not available in the open literature. In an effort to fill this need, two computer programs were developed. These programs, while not totally representative of the actual costs which an airline would incur, are sufficient to establish the overall impact which a proposed advanced technology might have on operating cost. This report describes a program that calculates Direct Operating Cost (DOC) (and its sensitivity to a number of parameters), and also a program which calculates Return on Investment (ROI). The ROI program is based on the Direct Operating Cost (DOC) and Indirect Operating Cost (IOC) of the airplane, and also on the discounted cash flow concept. Knowledge of the direct operating cost and its sensitivity to various parameters is sufficient for many advanced aircraft evaluations (ref. 1). An airline's return on investment, however, is the final and most important measure of the efficiency of a commercial aircraft.

Computer codes are compatible with the CDC 6600 computer system. The DOC model is based on the standard Air Transportation Association model (ref. 2) using 1976 cost coefficients (obtained from the Boeing Commercial Airplane Company). The indirect operating cost model is based on a model obtained from

N80-18988

the Lockheed-California Company (ref. 3) using 1976 cost data. Sample calculations are provided to illustrate use of the program.

## DESCRIPTION OF COMPUTER PROGRAMS

### Direct Operating Cost Program

The DOC program determines costs related to the operation of a subsonic aircraft in making a specific flight. Direct Operating Cost is made up of the following elements: flight operations (which includes crew, fuel, and insurance costs), maintenance (which includes labor costs for the airframe and engine, material costs for the airframe and engine, and maintenance overhead), and depreciation cost.

Appendix A-1 presents the symbol definitions for both the input requirements and the output of the program. Table I shows the equation form used for each cost element and Table II illustrates the parameters that affect these costs. Values for cost coefficients  $C_1$ ,  $C_2$ ,  $C_3$  and  $C_7$  are given in the program listing presented in Appendix A-2. The cost coefficient subscript number refers to the order in which the coefficient first appears in the computer program.

Four options are included in the DOC program: crew size may be either two-man or three-man; engine type may be either high bypass ratio or low bypass ratio; the airplane may be either new or used; and either a domestic or international flight may be specified (see Appendix A-2).

The fuel cost includes all gas and oil burned in making the flight plus an allowance for nonrevenue producing flights. Depreciation is based on the straight-line method and is determined by prorating the price paid for the aircraft (plus an allowance for airframe and engine spares) over a baseline lifetime of 14 years. A printout of a sample run is shown in Appendix A-3. Calculations are initially made based on the aircraft's direct operating cost per mile. The printout also provides direct operating costs given in terms of DOC per block hour, DOC per flight hour, DOC per seat statute mile, and DOC per passenger statute mile.

The program also calculates the effect of specific percentage increases in each cost element on the DOC. For example, initially the DOC is found for a base fuel price. The DOC is then determined for a 100 (2F), 200 (3F), and 300 (4F) percent increase over the base fuel price. Other cost sensitivities calculated are increases of 25, 50, 75, and 100 percent in maintenance (MA), crew (CR), and airplane investment costs (AP), as well as the effect of various depreciation periods (DP) from 10 to 15 years.

### Return on Investment Program

The Return on Investment program calculates the ratio of airline profit to airline investment generated by the operation of the aircraft during its entire life cycle. Appendix B-1 gives the input and output definitions, Appendix B-2 presents the program listings, and Appendix B-3 shows a sample case printout.

In addition to the direct operating cost (calculated in the same manner as already discussed), the program calculates indirect operating cost and uses a discounted cash flow method to determine the ROI.

The indirect operating cost section of the Return on Investment program determines costs indirectly attributable to the aircraft's operation. IOC is found by summing the following costs (see Table III): systems, local, aircraft control, cabin attendant, food, passenger handling, cargo handling, other passenger service, freight commissions and advertising, and general and administrative. Labor, property, equipment, and station maintenance cost (from ground facilities) is included in the systems cost. Local cost includes landing fees and servicing. Aircraft control cost includes all aircraft handling charges. Cabin attendant cost refers to the stewardesses. In the code, one stewardess is assigned for each 40 seats. The cost of food covers all food and refreshments served without charge to passengers. Passenger handling cost is actually the cost of handling the passenger's baggage. Cargo handling cost results from handling mail, freight, and express cargo. Other passenger service cost encompasses all activities related to passenger comfort, safety, and convenience. Freight commissions and advertising cost is the expense associated with creating a public preference for an individual air carrier, stimulating air travel, and providing timetables. The general and administrative cost represents cost of an overall corporate nature. Individual parameters which affect each IOC cost element are shown in Table IV. The IOC cost model assumes that some individual costs are dependent on the airplane's direct operating cost. In the program printout illustrated in Appendix B-3, IOC is presented as follows: IOC per block hour, IOC per flight hour, IOC per seat mile, IOC per passenger mile, and IOC per aircraft statute mile.

Table V illustrates the form of the equations used to calculate ROI and Table VI presents the parameters which affect its calculation. The following parameters are calculated and listed in the program printout (Appendix B-3): operating cost, revenue, cost of depreciation, profit before tax and interest, book value of aircraft, interest, income tax, profit after tax and interest, present value factor, and discounted cash flow.

Each of these parameters is determined for each year of the aircraft's life. Monies brought in by passenger fares and cargo transportation are calculated using 1976 yields and are included in the revenue data. Direct and indirect operating costs are summed and included under operating costs. Growth in revenue and operating costs can be accounted for by specifying the inflation rate expected in future years (see ROI input section, Appendix B-1).

Cost of depreciation is discussed in the direct operating cost section. Book value is the value of the aircraft during a specific year of the aircraft's life after subtracting the accumulated depreciation expense from the original airplane price. The program assumes that the investment in the aircraft is made with borrowed funds. Interest cost is based on a 10-percent interest rate; however, any desired interest rate can be input. The balance of the aircraft loan is amortized by specifying that a sum of money equal to the yearly depreciation expense is used to repay money borrowed to purchase the aircraft. This means that the amount of borrowed money outstanding at any point in time is also equal to the book value of the aircraft. Income remaining after taxes are paid

is referred to as "profit after tax and interest" and this parameter varies for each year of the aircraft's life. Present value calculations are made by taking the profit after tax and interest and discounting this profit at an assumed rate in order to balance the remaining life cycle income (cash flow in) against the original cash investment (cash flow out). Cash inflow is determined for each year of the aircraft's life, and an iterative calculation procedure is employed using progressively larger numbers to find the actual discount rate that will balance the discounted cash flow in against the original cash investment. The discount rate that causes all cash flows to balance is the airline's return on investment and is also known as the "internal rate of return."

The present value factor used in the discount cash flow method must always have a value between zero and one. Therefore, if the sum of the profit after taxes and interest is less than the original cash investment, the cash flows cannot be balanced and an ROI (which could be negative) cannot be calculated. In order to allow for the calculation of negative ROI values, the program calculates a constant that is added to each year's profit after taxes and interest. Application of this constant assures a positive value for the difference between the original cash investment and the adjusted profit after taxes and interest. A negative sign is then applied to the ROI.

To limit the calculations to practical values of ROI, the program calculates it within a range of  $\pm 100$  percent. Should the absolute value of ROI exceed or equal 100 percent, the user is so advised in the printout.

A summary illustration of the many factors which affect a commercial airplane's ROI is given in Table VI.

#### SAMPLE CALCULATION

A subsonic wide-body commercial jet transport aircraft flying with a 55-percent passenger load factor over a distance of 8336 kilometers (5180 st.mi.) is used to illustrate the information which can be obtained from these economic computer programs. Input values for the sample case are given in Tables VII and VIII. A zero inflation rate is specified for both revenue and operating cost. Freight and cargo loads are considered to be essentially negligible.

Figure 1 presents the effect of increases in crew, maintenance, aircraft cost, and fuel cost on the baseline DOC. Increases in fuel cost have the greatest effect on DOC while increases in aircraft cost have about the same effect as does an increase in maintenance cost. An increase in crew cost has the smallest effect. All calculations in figure 1 (and figs. 3-6) assume the aircraft is depreciated over a 14-year period.

Figure 2 shows the effect of various depreciation time periods (10 to 15 years) on DOC.

Figure 3 illustrates the relative levels of DOC, IOC, interest, income tax, and profit for each year of the aircraft's life. Due to the assumption of zero inflation rate, DOC and IOC are constant over the aircraft's life.

Figure 4 shows the relative importance of each cost element in the DOC and the IOC over the aircraft's 14-year life cycle. In this sample case, the freight commission, airplane control, and cargo handling costs are taken as negligible. The figure also includes a summary of where the airline's revenue dollar will be used over its lifetime.

Figure 5 presents the cash flow generated by the aircraft in each year of its life (discounted to its present value) for various load factors. For load factors near the breakeven point (such as 50 percent), little variation in discounted cash flow occurs. The most profitable case, of course, is for a 100 percent load factor, for which a very high positive discounted cash flow occurs early in the aircraft's life. In later years, when positive cash flow levels are less important, the discounted cash flow tends to approach zero. A large loss occurs when the aircraft is operated with a 30-percent load factor.

The variation of return on investment with load factor is presented in figure 6. Changes in the slope of the curve result from the fact that income tax is paid only in those years in which a profit is made. For load factors above about 50-percent, a positive ROI results. In such instances, income taxes are paid and a profit is realized in each year of the aircraft's life. Below a load factor of about 30 percent, a loss is encountered each year, no income tax is ever paid, and the discounted cash flow ROI is always negative. Between load factors of about 50 percent and 30 percent, a profit may occur in some years of the aircraft's life but it will not be sufficient to return the investment made in the aircraft.

#### CONCLUDING REMARKS

Computer programs which calculate airline direct operating cost, indirect operating cost, and return on investment were developed to provide a computer model for determining commercial aircraft life-cycle cost and economic performance. These codes can be easily incorporated into existing aircraft design programs. A representative wide-body subsonic jet aircraft was evaluated to illustrate use of the programs.

National Aeronautics & Space Administration  
Langley Research Center  
Hampton, Virginia 23665  
November 9, 1979

## REFERENCES

1. Maddalon, D. V.; and Wagner, R. D.: Energy and Economic Tradeoffs for Advanced Technology Subsonic Aircraft. NASA TM X 72833, April 1976.
2. Standard Method of Estimating Comparative Direct Operating Costs of Turbine Powered Transport Airplanes. Air Transport Association of America, December 1967.
3. Indirect Operating Cost. Lockheed-California Company Report LW 70-500R, May 1970. Also see revisions to 1969 Lockheed-California Company, Indirect Operating Expense Method Report COA 2061, July 1974.

TABLE I.- DIRECT OPERATING COST EQUATIONS  
(Dollars Per Airplane Statute Mile)

FLIGHT OPERATIONS

$$\begin{aligned} \text{Crew} &= \frac{1}{\text{Block Speed}} \left( C_1 \left[ (\text{Cruise Speed}) (\text{Takeoff Gross Weight}) \right]^{C_2} + C_3 \right) \\ \text{Fuel} &= \frac{1}{\text{Block Distance}} \left[ \left[ \frac{(\text{Non-revenue Factor}) (\text{Block Fuel}) (\text{Price of Fuel})}{\text{Density of Fuel}} \right] \left( \frac{\text{No. of Engines}}{\text{Engine}} \right) + \frac{(\text{Oil Burn Rate per Engine}) (\text{Block Time}) (\text{Cost of Oil})}{\text{Density of Oil}} \right] \end{aligned}$$

$$\text{Insurance} = \frac{(\text{Insurance Rate}) (\text{Aircraft Cost})}{(\text{Annual Utilization}) (\text{Block Speed})}$$

MAINTENANCE

$$\begin{aligned} \text{Labor on Airframe and Engine} &= \text{Labor Rate} \left[ \left[ \frac{(\text{Manhours Flight Hour})}{(\text{Block Speed}) (\text{Block Time})} \right] (\text{Flight Hours}) + \left[ \frac{(\text{Manhours Flight Cycle})}{(\text{Block Time})} \right] \right] \end{aligned}$$

$$\begin{aligned} \text{Material on Airframe and Engine} &= \left[ \left[ \frac{(\text{Material Cost Flight Hour})}{(\text{Block Speed}) (\text{Block Time})} \right] (\text{Flight Hours}) + \left[ \frac{(\text{Material Cost Flight Cycle})}{(\text{Block Time})} \right] \right] \end{aligned}$$

$$\text{Maintenance Burden} = C_7 \left[ \text{Labor on Airframe and Engine} \right]$$

DEPRECIATION

$$\text{Depreciation} = \left\{ \frac{\text{Airplane Cost} + \left[ \frac{\text{Spare Airframe Cost}}{(\text{Utilization}) (\text{Block Speed}) (\text{Depreciation Period})} \right] (\text{No. of Engines}) (\text{Cost Per Engine})}{\text{Airplane Cost} + \left[ \frac{\text{Spare Airframe Cost}}{(\text{Utilization}) (\text{Block Speed}) (\text{Depreciation Period})} \right] (\text{No. of Engines}) (\text{Cost Per Engine})} \right\}$$

Note: Constants given in program listing (Appendix A-2)



TABLE II.- PARAMETERS IMPACTING ELEMENTS OF DIRECT OPERATING COST

PARAMETER	DOC COST ELEMENTS						
	Crew	Fuel	Insurance	Maintenance			Depreciation
				Labor	Material	Burden	
Takeoff gross weight	X						
Airframe weight				X	X	X	
Velocity	X		X	X	X	X	X
Fuel burned		X					
Number of engines		X					X
Block distance		X		X	X	X	
Price of fuel		X					
Price of oil		X					
Block time		X		X	X	X	
Flight time				X	X	X	
Airframe cost			X		X		X
Engine cost							X
Depreciation length							X
Utilization			X				X
Maintenance labor rate			X		X		
Insurance rate			X				
Spare airframe parts							X
Spare engine parts							X

An "X" in the Cost Element Column indicates the parameters that affect the cost element.

TABLE III.- INDIRECT OPERATING COST EQUATIONS

Systems	= $K_1$ (Block Distance) (Labor on Airframe and Engine)
Local	= $K_2$ (No. of Departures) (Takeoff Gross Weight)
Aircraft Control	= $K_3$ (No. of Departures)
Cabin Attendant	= $K_4$ (No. of Cabin Attendants) (Block Time)
Food	= $K_5$ $\left( \text{Block Time} \right) \left( \frac{\text{Passenger Load Factor}}{\text{Factor}} \right) \left[ C_4 \left( \frac{\text{No. of First Class Seats}}{\text{Class Seats}} \right) + \left( \frac{\text{No. of Tourist Class Seats}}{\text{Class Seats}} \right) \right]$
Passenger Handling	= $K_6$ $\left( \frac{\text{Passenger Load Factor}}{\text{Factor}} \right) \left( \frac{\text{No. of Seats}}{\text{Seats}} \right)$
Cargo Handling	= $K_7$ (Weight of Cargo)
Other	= $K_8$ $\left( \frac{\text{Passenger Load Factor}}{\text{Load Factor}} \right) (\text{No. of Seats}) (\text{Block Distance})$
Freight Commissions and Advertising	= $K_9$ (Weight of Cargo) (Block Distance)
General and Administrative	= $K_{10}$ $\left[ \left( \frac{\text{Indirect Operating Cost}}{\text{Operating Cost}} \right) + \left( \frac{\text{Direct Operating Cost of Block}}{\text{Cost of Aircraft - Depreciation Distance}} \right) \right]$

Note: Constants given in program Listing (Appendix B-2).

TABLE IV.- PARAMETERS AFFECTING ELEMENTS OF INDIRECT OPERATING COST

PARAMETER	IOC COST ELEMENTS								
	Systems	Local	Aircraft Control	Cabin Attendant	Food	Handling	Other	Freight Commissions and Advertising	General and Administrative
Takeoff gross weight	X	X							X
Depreciation cost									X
Number of cabin attendants				X					X
Number of total seats					X	X	X		X
Tourist									
First class					X		X		X
Block distance	X					X	X	X	X
Weight of cargo						X		X	
Labor on airframe and engine	X								X
Block time	X			X	X				X
Passenger load factor					X	X	X		X
Number of trips		X	X						X
Direct operating cost									X
Indirect operating cost									X

An "X" in the Cost Element Column indicates the parameters that affect the cost element.

TABLE V.- RETURN ON INVESTMENT EQUATIONS

Annual Operating Cost	= (Total Operating Cost) (Annual Utilization) (Block Speed)
Annual Revenue	= $\left[ \frac{(\text{Block Distance}) (\text{Annual Utilization})}{(\text{C6}) (\text{Block Time})} \right] \times$ $\left\{ \left( \frac{\text{Passenger Load Factor}}{\text{Tourist Class}} \right) \left( \frac{\text{Yield from Tourist Seats}}{\text{No. of Tourist Seats}} \right) + \left( \frac{\text{Yield from First Class}}{\text{No. of First Class Seats}} \right) \right\} +$ $\left\{ \left( \frac{1}{\text{C5}} \right) \left( \frac{\text{Yield from Cargo}}{\text{Weight of Cargo}} \right) \right\}$
Profit Before Tax and Interest	= (Annual Revenue) - (Operating Costs)
Book Value	= (Aircraft Investment) - (Annual Depreciation) (Number of Years Aircraft in Service)
Interest	= (Interest Rate) (Book Value of Aircraft)
Taxes	= (Tax Rate) (Profit Before Taxes and Interest - Interest)
Profit After Taxes and Interest	= Profit Before Tax and Interest - Taxes - Interest
Present Value	= $\frac{1}{(1 + \text{ROI})^n}$
Discounted Cash Flow	= $\sum_{\text{DP} = 1}^n \left( \frac{\text{Revenue} - \text{Operating Cost} - \text{Tax} - \text{Interest}}{[1 + \text{ROI}]^n} \right)$

11 Note: Constants given in program listing (Appendix B-2).  
n = number of years

TABLE VI.- PARAMETERS AFFECTING RETURN ON INVESTMENT

PARAMETER	ROI FACTORS							
	Annual Operating Cost	Annual Revenue	Profit before tax and interest	Book Value	Interest	Tax	Profit after tax and interest	Return on Investment
Direct and Indirect operating cost	X		X			X	X	X
Aircraft investment	X		X	X	X	X	X	X
Depreciation	X		X	X	X	X	X	X
Velocity	X		X			X	X	X
Block distance	X	X	X			X	X	X
Block time	X	X	X			X	X	X
Utilization	X	X	X			X	X	X
Number of tourist seats	X	X	X			X	X	X
Number of first class seats	X	X	X			X	X	X
Passenger load factor	X	X	X			X	X	X
Weight of cargo	X	X	X			X	X	X
Years aircraft in service	X		X	X	X	X	X	X
Interest rate					X	X	X	X
Tax rate						X	X	X
Yield from tourist class		X	X			X	X	X
Yield from first class		X	X			X	X	X
Yield from cargo		X	X			X	X	X

An "X" in the ROI Factor Column indicates the parameters that affect the ROI factor.

TABLE VII.- DIRECT OPERATING COST SAMPLE CALCULATION

<u>Input</u>	<u>Program Code</u>	<u>Value</u>	
Block distance, km (st. mi.)	REQRNGS	8,336	(5,180)
Maximum takeoff gross weight, kg (lbm)	WGROSS	352,063	(776,165)
Airframe weight, kg (lbm)	BEWMENG	158,664	(349,794)
Block fuel, kg (lbm)	FUELBL	112,588	(248,215)
Block time, hours	TBLOCK	9.77	
Cruise speed, km/hour (st. mi./hour)	SPEEDE	1,043	(563)
Number of seats	NS	385	
Total thrust, N (lbf)	VCJ	800,680	(180,000)
Number of engines	ENGNO	4	
Time in ground maneuver, hours	TGNDMAN	0.25	
Passenger load factor, percent	LOADF	55	
Cost of gas, \$/liter (\$/gallon)	CSTGASB	0.1	(0.37)
Cost of oil, \$/liter (\$/gallon)	CSTOILB	4.0	(15.0)
Oil burn rate, kg/hours (lb/hour)	OILBR	0.061	(0.135)
Labor rate, \$/manhour	LABRATE	9	
Depreciation period, years	DEPYR	14	
Insurance rate, percent	INSR	1	
Spares, percent of airplane purchase price			
engines	SPARENG	30	
airframe	SPAREAF	6	
Purchase price of airframe, \$	CSTAF	27,500,000	
Purchase price of one engine, \$	CSTIENG	1,760,000	
Revenue inflation rate	GREV	0	
Total operating cost inflation rate	GCSTOP	0	

( ) Metric

TABLE VII. (Continued)

<u>Input</u>	<u>Program Code</u>	<u>Value</u>
Crew size, men	BC	3
Airplane condition	BN	New
Engine type	BE	Hi Bypass
Route structure	B	International

( ) Metric

TABLE VIII.- RETURN ON INVESTMENT SAMPLE CALCULATION

<u>Input</u>	<u>Program Code</u>	<u>Value</u>
First class seats (15% of total seats)	SEATSIC	58
Tourist class seats (85% of total seats)	SEATSTC	327
Weight of freight, kg (lbm)	WFREIGT	.045 (0.1)
Weight of cargo, kg (lbm)	WCARGO	.045 (0.1)
Cabin attendants (one per 40 seats)	NCABATT	10
Yield from first class passengers, ¢/pass. km (¢/pass. st. mile)	YLDIC	5.7 (9.1)
Yield from tourist passengers, ¢/pass. km (¢/pass. st. mile)	YLDTC	4.3 (7.0)
Yield from cargo, ¢/ton km (¢/ton st. mile)	YLDCARG	16.8 (27.0)
Tax rate, percent	TAXR	48.0
Interest rate, percent	INTR	10

( ) metric






Figure 1.- Effect of cost increases on direct operating cost.




Figure 2.- Effect of variable depreciation period on direct operating cost.






Figure 3.- Cash flow versus aircraft year of life.


# Direct operating cost



# Indirect operating cost



# Revenue dollar breakdown



NOTE: Negligible cargo load assumed

Figure 4.- Illustration of relative cost levels over aircraft life cycle.




Figure 5.- Discounted cash flow variation with time for various passenger load factors.




Figure 6.- Return on Investment as a function of passenger load factor.

## APPENDIX A-1. - DIRECT OPERATING COST SENSITIVITY PROGRAM

### Input

B	input for route type (1 for domestic flight; 2 for international flight)
BC	input for crew costs (2 for two-man crew; 3 for three-man crew)
BE	input for engine costs (2 for low bypass engine; 5 for high bypass engine)
BEWMENG	basic empty structural weight minus engine weight
BN	input for airplane costs (1 for used airplane; 10 for new airplane)
CSTAF	cost of airframe = cost of airplane less engines, \$
CSTGASB	cost of gas at base price, \$/gallon
CSTOILB	cost of oil at base price, \$/gallon
CST1ENG	cost of one engine, \$
DEPYR	number of years to depreciate aircraft
ENGNO	number of engines
FUELBL	block fuel, pounds
INSR	insurance rate, percent
LABRATE	labor rate, \$/hour
LOADF	passenger load factor, percent
NS	number of seats
OILBR	oil burn rate, pounds/hour/engine
REQRNGS	block distance, miles
SPAREAF	spare airframes, percent of aircraft purchase price
SPARENG	spare engines, percent of aircraft purchase price

SPEEDE	true cruise airspeed, miles/hour
TBLOCK	block time, hours
TGNDMAN	time for ground maneuver, hours
VCJ	maximum certified takeoff thrust, pounds
WGROSS	maximum takeoff gross weight, pounds

#### Output

AP	airplane price sensitivity
CR	crew cost sensitivity
CSTAP	cost of airplane, \$
CSTCREW	cost of crew, \$/airplane mile
CSTDEP	cost of depreciation, \$/airplane mile
CSTENG	cost of engines, \$
CSTFLYO	cost of flying operations, \$/airplane mile
CSTFUEL	cost of fuel, \$/airplane mile
CSTINS	cost of insurance, \$/airplane mile
CSTLABF	cost of labor for airframe maintenance, \$/mile
CSTLENG	cost of labor for engine maintenance, \$/mile
CSTMAF	cost of material for airframe maintenance, \$/mile
CSTMAIN	total cost of maintenance, \$/mile
CSTMAOH	cost of maintenance burden, \$/mile
CSTMENG	cost of material for engine maintenance, \$/mile
DOCAP	direct operating cost of airplane, \$/mile
DOCBL	direct operating cost, \$/block hour
DOCFH	direct operating cost, \$/flight hour
DOCR	direct operating cost, cents/revenue passenger mile
DOCS	direct operating cost, cents/seat mile



DP	depreciation period sensitivity, years
F	fuel cost sensitivity
LABAFFC	labor for airframe maintenance, man-hours/flight cycle
LABAFFH	labor for airframe maintenance, man-hours/flight hour
LABENFC	labor for engine maintenance, man-hours/flight cycle
LABENFH	labor for engine maintenance, man-hours/flight hour
MA	maintenance cost sensitivity
MATAFFC	material cost for airframe maintenance, \$/flight cycle
MATAFFH	material cost for airframe maintenance, \$/flight hour
MATENFC	material cost for engine maintenance, \$/flight cycle
MATENFH	material cost for engine maintenance, \$/flight hour
SPEEDBL	block speed, miles/hour
TRCRUISE	time in cruise, hours
TFLIGHT	flight time, hours
UTIL	annual utilization time, hours/year

```

1  C-----DECK NUMBER 16-----
2  C-----DIRECT OPERATING COST SENSITIVITY PROGRAM-----
3  C
4
5  PROGRAM RANG(INPUT,OUTPUT,TAPES=INPUT,TAPE6=OUTPUT)
6  DIMENSION ROUTE(2),ARRAY1(100)
7  INTEGER B,COUNT,B,C,RE,SN
8  REAL LABRATE,LOADF,KK,LABAFFH,LABAFFC,MATAFFH,MATAFFC,LABENFH
9  REAL LABENFC,MATENFH,MATENFC,INSR,NS
10 DATA ROUTE(1)/10H1-DOM. /,ROUTE(2)/10H2-INT. /
11
12 C-----1976 ATA DOC CALCULATION
13 C-----
14 C-----INPUTS
15 C READ IN BLOCK DISTANCE (STATUTE MILES), MAXIMUM TAKEOFF GROSS WEIGHT
16 C (POUNDS), BLOCK FUEL (POUNDS) AND BLOCK TIME (HOURS)
17 7113 READ(5,7017)REQRNGS,#GROSS,FUELBL,TBLOCK
18 IF(EOF(5)) 7111,7112
19 7112 CONTINUE
20 C CRUISE SPEED (STATUTE MILES/HR)
21 SPEED=563.
22 C NUMBER OF SEATS
23 NS=385.
24 C TOTAL THRUST (POUNDS)
25 VCJ=180000.
26 C NUMBER OF ENGINES
27 ENGNO=4.
28 C TIME IN GROUND MANUEVER (HOURS)
29 TGNDMAN=.25
30 C PASSENGER LOAD FACTOR (PERCENT)
31 LOADF=55.
32 C PRICE OF GAS AND OIL ($/GALLON)
33 CSTGASB=.37
34 CSTOILB=.15.00
35 C OIL BURN RATE (POUNDS/HOUR)
36 OILBR=.135
37 C PRICE OF LABOR FOR MAINTENANCE ($/HOUR/MAN)
38 LABRATE=.9.
39 C DEPRECIATION PERIOD (YEARS)
40 DEPYR=14.
41 C INSURANCE RATE (PERCENT)
42 INSR=1.0

```



```

85 C-----CALCULATION OF DOC
C
C
90 CSTGAS=Z1*CSTGASB
CSTOIL=Z1*CSTOILB
DEPYR=10.+Z5-1.
IF(KDEPYR.EQ.4) DEPYR=15.
IF(COUNT.LT.25.OR.COUNT.GT.32) DEPYR=14.
C AIRWAY DISTANCE INCREMENT
KA=0.02*REQRNGS
IF(REQRNGS.GE.0.0.AND.REQRNGS.LE.1400.) KA=7.+0.015*REQRNGS
TCRUISE=(REQRNGS+KA+20.)/SPEEDE
SPEEDBL=REQRNGS/TBLOCK
TFLIGHT=TBLOCK-TGNDMAN
1 **3+20.933)/SPEEDBL
1 IF(B.EQ.1.AND.BC.EQ.2) CSTCREW=(22.211*(SPEEDE*(WGROSS*.00001))
1 **3+44.322)/SPEEDBL
1 IF(B.EQ.1.AND.BC.EQ.3) CSTCREW=(22.211*(SPEEDE*(WGROSS*.00001))
1 **3+30.750)/SPEEDBL
1 IF(B.EQ.2.AND.BC.EQ.3) CSTCREW=(29.792*(SPEEDE*(WGROSS*.00001))
1 **3+62.757)/SPEEDBL
CSTCREW=CSTCREW*(Z4-1.)*.25+1.)
CSTFUEL=1.0*(FUELHL*CSTGAS/6.7+ENGNO*OILHR*CSTOIL/8.10 *TBLOCK)/
1 REQRNGS
C 1.02 ON FUEL AND MAINTENANCE LABOR IS NON-REVENUE FACTOR
CSTFUEL=CSTFUEL*1.02
IF(BN.EQ.1) UTIL=3400./(1.+(1./(TBLOCK+.5)))+536.
IF(BN.EQ.10) UTIL=4000./(1.+(1./(TBLOCK+.5)))+630.
CSTENG=CSTLENG*ENGNO
CSTAF=CSTAF*(1.+25*(Z6-1.))
CSTLENG=CSTLENG*(1.+25*(Z6-1.))
CSTAP=CSTAF+CSTLENG*ENGNO
CSTINS=INSR*CSTAP/(UTIL*SPEEDBL)/100.
CSTFLY0=CSTCREW+CSTFUEL+CSTINS
LABAFFC=(BEWMENG*.001)/(1.0419*(BEWMENG*.001)+24.159)
LABAFFH=(BEWMENG*.001)/(1.1035*(BEWMENG*.001)+17.919)
CSTLABF=((LABAFFH*TFLIGHT+LABAFFC)*LAHRAE/(SPEEDBL*TBLOCK))*1.02
MATAFFH=2.508+1.736*CSTAF*.00001
MATAFFC=1.235+2.261*CSTAF*.00001
CSTMAF=((MATAFFH*TFLIGHT+MATAFFC)/(SPEEDBL*TBLOCK))*1.02
LAHFNH=(.0183*(VCJ*.001)+.178)*ENGNO

```

```

130 IF (BE.EQ.2) LABENFC=(.0134*(VCJ*.001)+.142)*ENGNO
    IF (BE.EQ.5) LABENFC=(.0244*(VCJ*.001)+.220)*ENGNO
    IF (BE.EQ.2) MATENFH=(10.81*CSTIENG*.000001+1.78)*ENGNO
    IF (BE.EQ.5) MATENFH=(10.256*CSTIENG*.000001+18.115)*ENGNO
    IF (BE.EQ.2) MATENFC=(5.50*CSTIENG*.000001+2.70)*ENGNO
    IF (BE.EQ.5) MATENFC=(16.00*CSTIENG*.000001+19.50)*ENGNO
    CSTLENG=((LABENFH*TFLIGHT+LABENFC)*LABRATE/(SPEEDBL*TBLOCK))*1.02
    CSTMENG=((MATENFH*TFLIGHT+MATENFC)/(SPEEDBL*TBLOCK))*1.02
    CSTMAOH=2.0*(CSTLABF+CSTLENG)
    CSTMAIN=CSTLABF+CSTMAF+CSTLENG+CSTMENG+CSTMAOH
    CSTMAIN=CSTMAIN*(1.+25*(Z3-1.))
    CSTDEP=(CSTAP+SPAREAF*(CSTAP-ENGNO*CSTIENG)+SPARENG*ENGNO*CSTIENG
1 )/(SPEEDBL*DEPYR*UTIL)
140 DOCAP=CSTDEP+CSTMAIN*CSTFLY0
    ARRAY1(COUNT)=DOCAP/NS*100
    ARRAY1(COUNT+1)=DOCAP/NS/LOADF*10000.
    DOGBL=DOCAP*SPEEDBL
    DOCPH=DOGBL*TBLOCK/TFLIGHT
    IF (KFUELST.NE.1) GO TO 7050
    WRITE (6,1130)
    WRITE (6,1131) REORNGS,SPEEDHL,TBLOCK,FUELHL,UTIL
    WRITE (6,51)
    WRITE (6,52) NS,VCJ,WGROSS
    WRITE (6,34) DOGBL,DOCPH
    WRITE (6,36) CSTFLY0,CSTMAIN,CSTDEP,DOCAP
    WRITE (6,38) CSTLABF,CSTMAF,CSTLENG,CSTMENG,CSTMAOH
    WRITE (6,41) CSTCREW,CSTFUEL,CSTINS
    WRITE (6,42) CSTAP,CSTAF,CSTENG,CSTIENG
    WRITE (6,51)
    WRITE (6,52)
    WRITE (6,54) KA,SPEEDE,TFLIGHT,ICRUISE
    WRITE (6,56) LABAFFH,MATAFFH,LABENFH,MATENFH
    WRITE (6,57) LABAFFC,MATAFFC,LABENFC,MATENFC
    WRITE (6,58) CSTGASB,CSTOILB,ENGNO,DEPYR
    WRITE (6,59) ROUTE(8),LOADF,OILBR,LABRATE
    COUNT=COUNT+2
7050 IF (KFUELST.LE.4) GO TO 7500
    IF (KCSTMAI.LE.4) GO TO 7010
    IF (KCSTCRM.LE.4) GO TO 7030
    IF (KDEPYR.LE.4) GO TO 7040
    IF (KCSTPL.LE.4) GO TO 7020
7010 KCSTMAI=KCSTMAI+1

```

80/01/30. 13.49.28

FTN 4.7+485

PROGRAM RANG 74/74 OPT=1

```

170      Z3=Z3+1.
      IF(KCSTMAI.EQ.5) Z3=1.0
      IF(KCSTMAI.EQ.5) KCSTCRW=0
      IF(KCSTMAI.EQ.5) GO TO 7030.
      GO TO 8000
175      7030 KCSTCRW=KCSTCRW+1
      Z4=Z4+1.
      IF(KCSTCRW.EQ.5) Z4=1.0
      IF(KCSTCRW.EQ.5) Z5=0.0
      IF(KCSTCRW.EQ.5) KDEPYR=0
      IF(KCSTCRW.EQ.5) GO TO 7040
      GO TO 8000
180      7040 KDEPYR=KDEPYR+1
      Z5=Z5+1.
      IF(KDEPYR.EQ.5) Z5=1
      IF(KDEPYR.EQ.5) KCSTPL=0
      IF(KDEPYR.EQ.5) GO TO 7020
      GO TO 8000
185      7020 KCSTPL=KCSTPL+1
      Z6=Z6+1.
      IF(KCSTPL.LE.4) GO TO 8000
      WRITE(6,51)
      WRITE(6,7009)
      WRITE(6,7015) (ARRAY1(I),I=1,8)
      WRITE(6,7012) (ARRAY1(I),I=9,16)
      WRITE(6,7013) (ARRAY1(I),I=17,24)
      WRITE(6,7014) (ARRAY1(I),I=25,32)
      WRITE(6,7011) (ARRAY1(I),I=33,40)
      WRITE(6,51)
      GO TO 7113
190      7111 CONTINUE
200      7009 FORMAT(9X,*DOCS*,7X,*DOCR*,18X,*DOCS*,7X,*DOCR*,1AX,
1 *DOCS*,7X,*DOCR*,18X,*DOCS*,7X,*DOCR*)
205      7011 FORMAT(1X,*1.25AP-*,F6.3,5X,F6.3,9X,*1.50AP-*,F6.3,5X,F6.3,9X,
1 *1.75AP-*,F6.3,5X,F6.3,9X,*2.00AP-*,F6.3,5X,F6.3)
210      7012 FORMAT(1X,*1.25MA-*,F6.3,5X,F6.3,9X,*1.50MA-*,F6.3,5X,F6.3,9X,
1 *1.75MA-*,F6.3,5X,F6.3,9X,*2.00MA-*,F6.3,5X,F6.3)
      7013 FORMAT(1X,*1.25CR-*,F6.3,5X,F6.3,9X,*1.50CR-*,F6.3,5X,F6.3,9X,
1 *1.75CR-*,F6.3,5X,F6.3,9X,*2.00CR-*,F6.3,5X,F6.3)
      7014 FORMAT(1X,*DP-10 *,F6.3,5X,F6.3,9X,*DP-11 *,F6.3,5X,F6.3,9X,
1 *DP-12 *,F6.3,5X,F6.3,9X,*DP-15 *,F6.3,5X,F6.3)
      7015 FORMAT(1X,*1F- *,F6.3,5X,F6.3,9X,*2F- *,F6.3,5X,F6.3,9X,

```

```

1 *3F-      *,F6.3,5X,F6.3,4X,*4F-      *,F6.3,5X,F6.3)
7017 FORMAT(3F10.0,1F8.4)
51 FORMAT(1H0)
1130 FORMAT(1H1/,20X,*1976 ATA DOC CALCULATIONS, SUBSONIC JET, 3 MAN OR
1131 FORMAT(/9H REGRNGS= ,F7.0,7X,8HSPEDBL= , F8.2,5X,8H TBLOCK= ,F7.3
1132 MAN CREW, STATUTE MILES*,/)
1 *5X,7HFUELBL=,E10.4,6X,5HUTIL=, F9.2)
34 FORMAT(1H0,*AIRPLANE DOC($ PER HOUR)*,
1 *3X,*DOCBL=*,E10.4,3X,*DOCFH=*,E10.4)
36 FORMAT(1H0,*COST OF FLT OPS, MAINT,AND DEPRECIATION ($ PER MILE)*,
1 *2X,*CSTFLYO=*,E10.4,2X,*CSTMAIN=*,E10.4,2X,*CSTDEP=*,E10.4,
2 *2X,*DOCAP=*,E10.4)
38 FORMAT(1H0,*COST OF MAINTENANCE ($ PER MILE)*,
1 *2X,*CSTLABF=*,E10.4,2X,*CSTMAF=*,E10.4,2X,*CSTLENG=*,E10.4,
2 *2X,*CSTMENG=*,E10.4,2X,*CSTMAOH=*,E10.4)
41 FORMAT(1H0,*COST OF FLT. OPERATIONS ($ PER MILE)*,
1 *3X,*CSTCREW=*,E10.4,3X,*CSTFUEL=*,E10.4,3X,*CSTINS=*,E10.4)
42 FORMAT(1H0,*COST OF AIRPLANE, AIRFRAME, ENGINE ($)*,3X,*CSTAP=*,
1 *E10.4,5X,*CSTAF=*,E10.4,5X,*CSTENG=*,E10.4,4X,*CSTLENG=*,E10.4)
52 FORMAT(4H NS=,F5.0,10X,*HVCJ=,E10.4,9X,*HWGROSS=,E10.4)
54 FORMAT(4H KA= ,E16.4,8X ,7HSPDEDE= ,F7.2,13X,8HFLIGHT=,F6.3,13X,
1 *8HTRUISE=,F7.3)
56 FORMAT(9H LABAFFH= ,E11.4,8X,8HMATAFFH=,E12.4,7X,8HLABENFH=,E11.4,
1 *8X,8HMATENFH=,E12.4)
57 FORMAT(9H LABAFFC= ,E11.4,8X,8HMATAFFC=,E12.4,7X,8HLABENFC=,E11.4,
1 *8X,8HMATENFC=,E12.4)
58 FORMAT(9H CSTGASB= ,F6.3,13X,9HCSTOILB= ,F5.2,13X,6HENGNO=,F5.0,
1 *16X,6HDEPYR=,F6.0)
59 FORMAT(5H B= ,1X,A9,13X,6HLOADF=,F8.2,13X,6HOLLR=,F8.3,13X,
1 *8HLABRATE=,F6.2)
62 FORMAT(48X,*MISCELLANEOUS PARAMETERS*)
END

```

SYMBOLIC REFERENCE MAP (R=2)

ENTRY POINTS	DEF LINE	REFERENCES
4141 RANG	5	

# APPENDIX A-3.- DOC SENSITIVITY - SAMPLE CASE

1976 ATA DOC CALCULATIONS, SURSONIC JET, 3 MAN OR 2 MAN CREW, STATUTE MILES

REQRNGS=	5180.	SPEEDBL=	530.19	TRLOCK=	9.770	FUELBUL=	.2482E+06	UTIL=	4275.08
NS=	385.	VCJ=	.1800E+06	WGROSS=	.7762E+06				
AIRPLANE DOC(\$ PER HOUR)	DOCBL=	.3425E+04	DOCFH=	.3515E+04					
COST OF FLT OPS, MAINT, AND DEPRECIATION (\$ PER MILE)	CSTFLY0=	.3667E+01	CSTMAIN=	.1587E+01	CSTDEP=	.1207E+01	DOCAP=	.6461E+01	
COST OF MAINTENANCE (\$ PER MILE)	CSTLARF=	.1235E+00	CSTMAF=	.1067E+00	CSTLENG=	.2670E+00	CSTMENG=	.3087E+00	CSTMAOH=
COST OF FLT. OPERATIONS (\$ PER MILE)	CSTCREW=	.8131E+00	CSTFUEL=	.2701E+01	CSTINS=	.1524E+00			
COST OF AIRPLANE, AIRFRAME, ENGINE (\$)	CSTAP=	.3454E+08	CSTAF=	.2750E+08	CSTENG=	.7040E+07	CSTLENG=	.1760E+07	

KA=	.1036E+03	SPEEDE=	563.00	MISCELLANEOUS PARAMETERS			
LABAFFH=	.6463E+01	MATAFFH=	.5025E+02	TFLIGHT=	9.520	TCRUISE=	9.420
LABAFFC=	.8170E+01	MATAFFC=	.6341E+02	LABENFH=	.1389E+02	MATENFH=	.1447E+03
CSTGASB=	.370	CSTOILB=	15.00	LABENFC=	.1845E+02	MATENFC=	.1906E+03
B=	2-INT.	LOADF=	55.00	ENGNO=	4.	DEPYR=	14.
				OILBR=	.135	LABRATE=	9.00

IF-	1.678	DOCS	3.051	DOCR	4.327	DOCS	3.091	DOCR	5.602	DOCS	4F-	3.783	DOCR	6.878
1.25MA-	1.781	2F-	2.380	4.327	3F-	1.75MA-	1.987	3.613	3.613	2.00MA-	2.090	2.00MA-	3.800	
1.25CR-	1.731	1.50MA-	1.884	3.426	1.75CR-	1.836	3.339	3.339	2.00CR-	1.889	DP-15	1.657	3.435	
DP-10	1.803	1.50CR-	1.764	3.206	DP-12	1.730	3.145	3.145	DP-15	1.657	2.00AP-	2.09H	3.013	
1.25AP-	1.783	1.50AP-	1.888	3.433	1.75AP-	1.993	3.624	3.624	2.00AP-	2.09H			3.815	



## APPENDIX B-1\* - RETURN ON INVESTMENT PROGRAM

### Indirect Operating Cost Section

#### Input

DEPART	number of departures
IR	inflation rate, percent
K <sub>1</sub>	system cost coefficient
K <sub>2</sub>	local cost coefficient
K <sub>3</sub>	airplane control cost coefficient
K <sub>4</sub>	cabin attendant cost coefficient
K <sub>5</sub>	food and beverage cost coefficient
K <sub>6</sub>	passenger-handling cost coefficient
K <sub>7</sub>	cargo-handling cost coefficient
K <sub>8</sub>	other passenger service cost coefficient
K <sub>9</sub>	freight commission cost coefficient
K <sub>0</sub>	general and administrative cost coefficient
NCABATT	number of cabin attendants
SEATSIC	number of first-class seats
SEATSTC	number of tourist-class seats
WCARGO	weight of cargo, pounds
WFREIGHT	weight of freight, pounds

#### Output

APCONT	airplane control cost, \$/trip
CABATT	cabin attendant cost, \$/trip

\*Also see Appendix A-1.

CARHAN	cargo-handling cost, \$/trip
FGTCOM	freight commission cost, \$/trip
FOOD	food and beverage cost, \$/trip
GENADM	general and administrative cost, \$/trip
IOC	indirect operating cost, \$/trip
IOCAP	indirect operating cost of airplane, \$/mile
IOCBL	indirect operating cost, \$/block hour
IOCFH	indirect operating cost, \$/flight hour
IOCR	indirect operating cost, \$/passenger mile
IOCS	indirect operating cost, \$/seat mile
LOCAL	local costs, \$/trip
OTHSER	other passenger service cost, \$/trip
PAXHAN	passenger-handling cost, \$/trip
SYSTEM	system expense, \$/trip
TOC	total operating cost (direct and indirect), \$/trip

#### Return on Investment Section

##### Input

DCFROI	internal rate of return on investment, percent
DCSHFLO	discounted cash flow, dollars
INTR	interest rate, percent
TAXR	tax rate, percent
YLDCARG	yield from cargo, cents/ton-mile
YLDTC	yield from tourist seats, cents/passenger mile
YLDIC	yield from first class passengers, cents/passenger mile

### Output

BOOK	original purchase price minus accumulated depreciation, \$
CSTOP	cost of operating, \$/year
CSTOPMD	cost of operating minus depreciation, \$/year
INTREST	interest, \$/year
NET	net dollar inflow and outflow over the life of aircraft
PROATAI	profit after taxes and interest, \$/year
PROBTAI	profit before taxes and interest, \$/year
REV	revenue, \$/year
TAX	tax, \$/year

# APPENDIX B-2.- ROI LISTING

```

1      C
2      C-----DECK NUMBER 14-----
3      C-----RETURN ON INVESTMENT PROGRAM-----
4      C
5      PROGRAM RANG(INPUT,OUTPUT,TAPES=INPUT,TAPE6=OUTPUT)
6      DIMENSION PRESVAL(30),DCSHFLO(30),ARRAY1(100),ROUTE(2),COSTDEP(30)
7      DIMENSION PROATAI(30),BOOK(30),INTREST(30),PROBTAI(30),TAX(30)
8      DIMENSION REV(30),CSTOP(30),TEST(30)
9      DIMENSION RPATAI(30),RDCF(30)
10     INTEGER B,COUNT
11     REAL IR,INFLATE,INSR,INTR,INTREST,NET,NS
12     REAL K0,K1,K2,K3,K4,K5,K6,K7,K8,K9
13     REAL IOC,IOCAP,IOCS,IOCP,LOCAL,IOCB,IOCFH,NCASAIT,IOCP
14     REAL LABRATE,LOADF,KA,LABAFFH,LABAFFC,MATAFFH,MATAFFC,LABENFHC
15     REAL LABENFC,MATENFH,MATENFC
16     DATA ROUTE(1)/10H1-DOM, /,ROUTE(2)/10H2-INT, /
17
18     C-----1976 ATA DOC CALCULATION
19     C-----
20     C-----INPUTS
21     C READ IN BLOCK DISTANCE (STATUTE MILES), MAXIMUM TAKEOFF GROSS WEIGHT
22     C (POUNDS), BLOCK FUEL (POUNDS) AND BLOCK TIME (HOURS)
23     7113 READ(5,7017)REQRNGS,WGROSS,FUELBL,TYLOCK
24     IF(EOF(5)) 7111,7112
25     7112 CONTINUE
26     C CRUISE SPEED (STATUTE MILES/HR)
27     SPEED=563.0
28     C NUMBER OF SEATS
29     NS=385.
30     C TOTAL THRUST (POUNDS)
31     VCJ=18000.0
32     C NUMBER OF ENGINES
33     ENGNO=4.
34     C TIME IN GROUND MANUEVER (HOURS)
35     TGNOMAN=.25
36     C PASSENGER LOAD FACTOR (PERCENT)
37     LOADF=55.
38     C PRICE OF GAS AND OIL ($/GALLON)
39     CSTGAS=.37
40     CSTOIL=.15.00
41     C OIL BURN RATE (POUNDS/HOUR)
42     OILBR = .135

```

```

C PRICE OF LABOR FOR MAINTENANCE ($/HOUR/MAN)
  LABRATE=9.
C DEPRECIATION PERIOD (YEARS)
  DEPYR=14.
C INSURANCE RATE (PERCENT)
  INSR=1.0
C PERCENT OF AIRPLANE PURCHASE PRICE THAT MUST BE SPENT FOR SPARES
C ON ENGINES AND AIRFRAME
  SPARENG=30.
  SPAREAF=6.
C BASIC EMPTY WEIGHT MINUS ENGINE WEIGHT YIELDS AIRFRAME WEIGHT (POUNDS)
  BEWMENG=349794.
C *****AIRCRAFT OPTIONS SECTION*****
C-----DOMESTIC FLIGHT B = 1, INTERNATIONAL FLIGHT B = 2
  B=1
  B=2
C-----3 MAN CREW 3C = 3, 2 MAN CREW 3C = 2
  BC=2
  BC=3
C-----NEW AIRPLANE BN=10, USED AIRPLANE BN=1
  BN=1
  BN=10
C-----HI BYPASS ENGINE BE = 5, LO BYPASS ENGINE BE = 2
  BE=2
  BE=5
C *****
C CHANGE PERCENTAGES FOR PROGRAM COMPATIBILITY
  SPARENG=SPARENG/100.
  SPAREAF=SPAREAF/100.
C
  COUNT=1
  Z1=0.
  Z3=Z4=Z5=Z6=1.0
  KFUELST=0
  7500 KFUELST=KFUELST+1
  Z1=Z1+1.
  IF (KFUELST.EQ.5) Z1=1.0

```

```

85      IF(KFUELST.EQ.5) KCSTMAI=0
      IF(KFUELST.EQ.5) GO TO 7010
      8000 CONTINUE
      C PURCHASE PRICE OF AIRFRAME AND ONE ENGINE ($)
      CSTAF=27500000.
      CSTIENG=1760000.
      C
      C-----CALCULATION OF DOC
      C
      CSTGAS=Z1*CSTGASB
      CSTOIL=Z1*CSTOILB
      DEPYR=10.+25-1.
      IF(KDEPYR.EQ.4) DEPYR=15.
      IF(COUNT.LT.25.OR.COUNT.GT.32) DEPYR=14.
      C AIRWAY DISTANCE INCREMENT
      KA=0.02*REQRNGS
      IF(REQRNGS.GE.0.0.AND.REQRNGS.LE.1400.) KA=7.+0.015*REQRNGS
      TCRUISE=(REQRNGS+KA+20.)/SPEEDE
      SPEEDBL=REQRNGS/TBLOCK
      TFLIGHT=TBLOCK-TGNDMAN
      IF(B.EQ.1.AND.BC.EQ.2) CSTCREW=(22.211*(SPEEDE*(WGROSS*.00001)))
      1 **.3*20.933)/SPEEDBL
      IF(B.EQ.2.AND.BC.EQ.2) CSTCREW=(22.211*(SPEEDE*(WGROSS*.00001)))
      1 **.3*44.322)/SPEEDBL
      IF(B.EQ.1.AND.BC.EQ.3) CSTCREW=(29.792*(SPEEDE*(WGROSS*.00001)))
      1 **.3*30.750)/SPEEDBL
      IF(B.EQ.2.AND.BC.EQ.3) CSTCREW=(29.792*(SPEEDE*(WGROSS*.00001)))
      1 **.3*62.757)/SPEEDBL
      CSTCREW=CSTCREW*(Z4-1.)*.25+1.)
      CSTFUEL=1.0*(FUELBL*CSTGAS/6.7+ENGNO*OILBR*CSTOIL/8.10 *TBLOCK)/
      1 REQRNGS
      C 1.02 ON FUEL AND MAINTENANCE LABOR IS NON-REVENUE FACTOR
      CSTFUEL=CSTFUEL*1.02
      IF(BN.EQ.1) UTIL=3400./(1.+(1./(TBLOCK+.5)))+536.
      IF(BN.EQ.10) UTIL=4000./(1.+(1./(TBLOCK+.5)))+630.
      CSTENG=CSTIENG*ENGNO
      CSTAF=CSTAF*(1.+.25*(Z6-1.))
      CSTIENG=CSTIENG*(1.+.25*(Z6-1.))
      CSTAP=CSTAF+CSTIENG*ENGNO
      CSTINS=INSR*CSTAP/(UTIL*SPEEDBL)/100.
      CSTFLY0=CSTCREW+CSTFUEL+CSTINS
      LABAFFC=(BEWMENG*.001)/(.0419*(BEWMENG*.001)+28.159)

```

```

130 LABAFFH=(BEWMENG*.001)/(1.1035*(BEWMENG*.001)+17.919)
    CSTLABF=((LABAFFH*TFLIGHT+LABAFFC)*LABRATE/(SPEEDBL*TBLOCK))*1.02
    MATAFFH=2.508+1.736*CSTAF*.000001
    MATAFFC=1.235+2.261*CSTAF*.000001
    CSTMAF=((MATAFFH*TFLIGHT+MATAFFC)/(SPEEDBL*TBLOCK))*1.02
    LABENFH=(.0183*(VCJ*.001)+.178)*ENGNO
    IF (BE.EQ.2) LABENFC=(.0134*(VCJ*.001)+.142)*ENGNO
    IF (BE.EQ.5) LABENFC=(.0244*(VCJ*.001)+.220)*ENGNO
    IF (BE.EQ.2) MATENFH=(10.31*CSTLENG*.000001+1.78)*ENGNO
    IF (BE.EQ.5) MATENFH=(10.256*CSTLENG*.000001+18.115)*ENGNO
    IF (BE.EQ.2) MATENFC=(5.50*CSTLENG*.000001+2.70)*ENGNO
    IF (BE.EQ.5) MATENFC=(16.00*CSTLENG*.000001+19.50)*ENGNO
    CSTLENG=((LABENFH*TFLIGHT+LABENFC)*LABRATE/(SPEEDBL*TBLOCK))*1.02
    CSTMENG=((MATENFH*TFLIGHT+MATENFC)/(SPEEDBL*TBLOCK))*1.02
    CSTMAOH=2.0*(CSTLABF+CSTLENG)
    CSTMAIN=CSTLABF+CSTMAF+CSTLENG+CSTMENG+CSTMAOH
    CSTMAIN=CSTMAIN*(1.+.25*(Z3-1.))
    CSTDEP=(CSTAP+SPAREAF*(CSTAP-ENGNO*CSTLENG)+SPARENG*ENGNO*CSTLENG
1    1)/(SPEEDBL*DEPYR*UTIL)
    DOCAP=CSTDEP+CSTMAIN+CSTFLYO
    ARRAY1(COUNT)=DOCAP/NS*100
    ARRAY1(COUNT+1)=DOCAP/NS/LOADF*10000.
    DOCL=DOCAP*SPEEDBL
    DOCFH=DOCL*TBLOCK/TFLIGHT
    IF (KFUELST.NE.1) GO TO 7050
    CSTDEP8=CSTDEP
    CSTAP8=CSTAP
    DOCAP1F=DOCAP
    CSTLENG8=CSTLENG
    CSTAP8S=CSTAP8+SPAREAF*(CSTAP8-ENGNO*CSTLENG)+SPARENG*ENGNO*
1    CSTLENG
    WRITE (6,1130)
    WRITE (6,1131)REQNGS,SPEEDBL,TBLOCK,FUELBL,UTIL
    WRITE (6,51)
    WRITE (6,52)NS,VCJ,WGROSS
    WRITE (6,34)DOCL,DOCFH
    WRITE (6,36)CSTFLYO,CSTMAIN,CSTDEP,DOCAP
    WRITE (6,38)CSTLABF,CSTMAF,CSTLENG,CSTMENG,CSTMAOH
    WRITE (6,41)CSTCREW,CSTFUEL,CSTINS
    WRITE (6,42)CSTAP,CSTAF,CSTENG,CSTLENG
    WRITE (6,51)
    WRITE (6,62)

```

```

170 WRITE(6,54)KA,SPEEDE,TFLIGHT,TCRUISE
    WRITE(6,56)LABAFFH,MATAFFH,LABENFH,MATENFH
    WRITE(6,57)LABAFFC,MATAFFC,LABENFC,MATENFC
    WRITE(6,58)CSTGASB,CSTOILB,ENGNO,DEPYR
    WRITE(6,59)ROUTE(8).LOADF,OILBR,LABRATE
    51 FORMAT(1H0)
175 1130 FORMAT(1H1/,20X,*1976 ATA DOC CALCULATIONS, SUBSONIC JET, 3 MAN OR
    1 2 MAN CREW, STATUTE MILES*,/)
1131 FORMAT(9H REGRNGS= ,F7.0,7X,8HSPDEBL= , F8.2,5X,8H TBLOCK= ,F7.3
    1 5X,7HFUELBL=,E10.4,6X,5HUTIL=, F9.2)
    34 FORMAT( 1H0,*AIRPLANE DOC ($ PER HOUR)*,
    1 3X,*DOCB=*,E10.4,3X,*DOCFH=*,E10.4)
    36 FORMAT(1H0,*COST OF FLT OPS. MAINT.AND DEPRECIATION ($ PER MILE)*,
    1 2X,*CSTFLYO=*,E10.4,2X,*CSTMAIN=*,E10.4,2X,*CSTDEP=*,E10.4,
    2 2X,*DOCAP=*,E10.4)
    38 FORMAT(1H0,*COST OF MAINTENANCE ($ PER MILE)*,
    1 2X,*CSTLABF=*,E10.4,2X,*CSTMAF=*,E10.4,2X,*CSTLENG=*,E10.4,
    2 2X,*CSTMENG=*,E10.4,2X,*CSTMAOH=*,E10.4)
    41 FORMAT(1H0,*COST OF FLT. OPERATIONS ($ PER MILE)*,
    1 3X,*CSTCREW=*,E10.4,3X,*CSTFUEL=*,E10.4,3X,*CSTINS=*,E10.4)
    42 FORMAT(1H0,*COST OF AIRPLANE, AIRFRAME, ENGINE ($)*,3X,*CSTAP=*,
    1 E10.4,5X,*CSTAF=*,E10.4,5X,*CSTENG=*,E10.4,4X,*CSTLENG=*,E10.4)
    52 FORMAT(4H NS=,F5.0,10X,4HVCJ=,E10.4,9X,7HWGROSS=,E10.4)
    54 FORMAT(4H KA= ,E16.4,8X,7HSPDEDE= ,F7.2,13X,8HFLIGHT=,F6.3,13X,
    1 8HTCRUISE=,F7.3)
    56 FORMAT(9H LABAFFH= ,E11.4,8X,8HMATAFFH=,E12.4,7X,8HLABENFH=,E11.4,
    1 8X,8HMATENFH=,E12.4)
    57 FORMAT(9H LABAFFC= ,E11.4,8X,8HMATAFFC=,E12.4,7X,8HLABENFC=,E11.4,
    1 8X,8HMATENFC=,E12.4)
    58 FORMAT(9H CSTGASR= ,F6.3,13X,9HCSTOILB= ,F5.2,13X,6HENGNO=,F5.0,
    1 16X,6HDEPYR=,F6.0)
    59 FORMAT(5H B= ,1X,A9,13X,6HLOADF=,F8.2,13X,6HOLILBR=,F8.3,13X,
    1 8HLABRATE=,F6.2)
    62 FORMAT(4X,*MISCELLANEOUS PARAMETERS*)
7050 COUNT=COUNT+2
    IF(KFUELST.LE.4) GO TO 7500
    IF(KCSTMAI.LE.4) GO TO 7010
    IF(KCSTCRW.LE.4) GO TO 7030
    IF(KDEPYR.LE.4) GO TO 7040
    IF(KCSTPL.LE.4) GO TO 7020
7010 KCSTMAI=KCSTMAI+1
    Z3=Z3+1.

```



```

215 IF(KCSTMAI.EQ.5) Z3=1.0
    IF(KCSTMAI.EQ.5) KCSTCRW=0
    IF(KCSTMAI.EQ.5) GO TO 7030
    GO TO 8000
7030 KCSTCRW=KCSTCRW+1
    Z4=Z4+1.
    IF(KCSTCRW.EQ.5) Z4=1.0
    IF(KCSTCRW.EQ.5) Z5=0.0
    IF(KCSTCRW.EQ.5) KDEPYR=0
    IF(KCSTCRW.EQ.5) GO TO 7040
    GO TO 8000
7040 KDEPYR=KDEPYR+1
    Z5=Z5+1.
    IF(KDEPYR.EQ.5) Z5=1.0
    IF(KDEPYR.EQ.5) KCSTPL=0
    IF(KDEPYR.EQ.5) GO TO 7020
    GO TO 8000
7020 KCSTPL=KCSTPL+1
    Z6=Z6+1.
    IF(KCSTPL.LE.4) GO TO 8000
    WRITE(6,51)
    WRITE(6,7009)
    WRITE(6,7015) (ARRAY1(I),I=1,8)
    WRITE(6,7012) (ARRAY1(I),I=9,16)
    WRITE(6,7013) (ARRAY1(I),I=17,24)
    WRITE(6,7014) (ARRAY1(I),I=25,32)
    WRITE(6,7011) (ARRAY1(I),I=33,40)
    WRITE(6,51)
7009 FORMAT(9X,*DOCS*,7X,*DOCR*,18X,*DOCS*,7X,*DOCR*,18X,
1 *DOCS*,7X,*DOCR*,18X,*DOCS*,7X,*DOCR*)
7011 FORMAT(1X,*1.25AP-*,F6.3,5X,F6.3,9X,*1.50AP-*,F6.3,5X,F6.3,9X,
1 *1.75AP-*,F6.3,5X,F6.3,9X,*2.00AP-*,F6.3,5X,F6.3)
7012 FORMAT(1X,*1.25MA-*,F6.3,5X,F6.3,9X,*1.50MA-*,F6.3,5X,F6.3,9X,
1 *1.75MA-*,F6.3,5X,F6.3,9X,*2.00MA-*,F6.3,5X,F6.3)
7013 FORMAT(1X,*1.25CR-*,F6.3,5X,F6.3,9X,*1.50CR-*,F6.3,5X,F6.3,9X,
1 *1.75CR-*,F6.3,5X,F6.3,9X,*2.00CR-*,F6.3,5X,F6.3)
7014 FORMAT(1X,*DP-10 *,F6.3,5X,F6.3,9X,*DP-11 *,F6.3,5X,F6.3,9X,
1 *DP-12 *,F6.3,5X,F6.3,9X,*DP-15 *,F6.3,5X,F6.3)
7015 FORMAT(1X,*1F- *,F6.3,5X,F6.3,9X,*2F- *,F6.3,5X,F6.3,9X,
1 *3F- *,F6.3,5X,F6.3,9X,*4F- *,F6.3,5X,F6.3)
7017 FORMAT(3F10.0,1F8.4)

```

```

C-----1976 LOCKHEED IOC CALCULATIONS
C
C-----INPUTS
255 C ASSIGNMENT OF INTEGER VALUES TO FIRST CLASS SEATS (15 PERCENT OF TOTAL SEATS)
C AND TOURIST SEATS (85 PERCENT OF TOTAL SEATS)
    ISEAT=NS*.15+.5
    SEATSIC=ISEAT
    SEATC=NS-SEATSIC
260 C WEIGHT OF FREIGHT (POUNDS)
    WFREIGHT=.1
C WEIGHT OF CARGO (POUNDS)
    WCARGO=.1
265 C NUMBER OF CABIN ATTENDANTS
    ICABATT=NS/40+.9999
    NCABATT=ICABATT
C NUMBER OF DEPARTURES
    DEPART=1.0
270 C INFLATION RATE (PERCENT)
    IR=0.
C INFLATION UPDATE FOR 1976 COSTS (PERCENT)
    INFLATE=1.0+IR*.01
    IF(8.EQ.2) GO TO 6051
275 C DOMESTIC COEFFICIENTS
    K1 = .52
    K2 = 1.86
    K3 = 23.83
    K4 = 29.33
    K5 = .96
    K6 = 6.56
    K7 = 98.2
    K8 = .0056
    K9 = .0082
    K0 = .0048
    GO TO 6050
    6051 CONTINUE
C INTERNATIONAL COEFFICIENTS
    K1 = .56
    K2 = 4.64
    K3 = 67.72
    K4 = 37.0
    K5 = .63
    K6 = 15.84

```

```

295      K7 =150.69
      K8 =.0088
      K9 =.0099
      K0 =.053
      6050 CONTINUE
      SYSTEM=K1*(CSTLABF+CSTLENG)*REQRNGS*INFLATE
      LOCAL=K2*WGROSS/100.*DEPART*INFLATE
      APCONT=K3*DEPART*INFLATE
      CABATT=K4*NCABATT*TBLOCK*INFLATE
      300      FOOD=K5*LOADF*(2.25*SEATS1C+SEATSTC)*TBLOCK/100.*INFLATE
      IF(B.EQ.2) FOOD=K5*(3.5*SEATS1C+SEATSTC)*TBLOCK*LOADF/100.*INFLATE
      305      PAXHAN=K6*LOADF*NS/100.*INFLATE
      CARHAN=K7*WCARGO*INFLATE
      OTHSER=K8*LOADF*NS*REQRNGS/100.*INFLATE
      FGTCOM=K9*WFREIGHT*REQRNGS*INFLATE
      310      IOC=SYSTEM*LOCAL*APCONT+CABATT+FOOD+PAXHAN+CARHAN+OTHSER+FGTCOM
      GENADM=K0*(IOC+(DOCAPIF-CSTDEPH)*INFLATE*REQRNGS)
      IOC=IOC+GENADM
      IOCS=IOC/REQRNGS/NS*100.
      IOCR=IOCS/LOADF*100.
      315      IOCAP=IOC/REQRNGS
      IOCBL=IOC/TBLOCK
      IOCFH=IOC/TFLIGHT
      C-----TOTAL OPERATING COST CALCULATION
      C-----
      C      TOTAL OPERATING COST ($/STATUTE MILE)
      TOCAP=IOCAP+DOCAPIF
      C      INDIRECT OPERATING COST, PERCENTAGE OF TOTAL OPERATING COST
      IOCP=IOCAP/TOCAP*100.
      320      C      DIRECT OPERATING COST, PERCENTAGE OF TOTAL OPERATING COST
      DOCP=DOCAPIF/TOCAP*100.
      WRITE(6,6000)IR
      WRITE(6,6011)IOCBL
      WRITE(6,6012)IOCFH
      330      WRITE(6,6014)IOCS
      WRITE(6,6013)IOCR
      WRITE(6,6015)IOCAP
      WRITE(6,6045)
      WRITE(6,6016)
      335      WRITE(6,6017)SYSTEM
      WRITE(6,6018)LOCAL

```

```

340      WRITE(6,6020)APCONT
        WRITE(6,6021)CABATT
        WRITE(6,6022)FOOD
        WRITE(6,6023)PAXHAN
        WRITE(6,6024)CARHAN
        WRITE(6,6025)OTHSER
        WRITE(6,6026)FGTCOM
        WRITE(6,6027)GENADM
        WRITE(6,6045)
        WRITE(6,6007)
        WRITE(6,6008)WGROSS,NS,REQRNGS,WGROSS,IBLOCK,IFLIGHT
        WRITE(6,6009)
        WRITE(6,6010)CSTLABF,CSTLENG,CSTDEPB,DOCAPIF,LOADF
        WRITE(6,6030)
        WRITE(6,6031)SEATSLC,SEATSTC,NCABATT,DEPART,WFREIGHT
        WRITE(6,6040)TOCAP
        WRITE(6,6060)DOCP,IOCP
        6000 FORMAT(1H1,10X,* LOCKHEED IOC METHOD*,//,4X,
1      *1976 UPDATE=,F5.1,* PERCENT INFLATION*,/)
        6007 FORMAT(40X,*AIRPLANE INPUTS REQUIRED*)
        6008 FORMAT(1X,*WGROSS=*E10.3,3X,*NS=*F5.0,3X,*REQRNGS=*E10.3,3X,
1      *WCARGO=*E10.3,3X,*IBLOCK=*E10.3,3X,*IFLIGHT=*E10.3,/)
        6009 FORMAT(40X,*INPUTS FROM DOC PROGRAM*)
        6010 FORMAT(1X,*($/MILE COSTS) CSTLABF=*,E10.3,3X,*CSTLENG=*,E10.3,3X,
1      *CSTDEP=*,E10.3,3X,*DOCAP=*,E10.3,/,1X,*LOADF=*,F6.2)
        6011 FORMAT(1X,*($/BLOCK HOUR*,10X,*IOCP=*,E12.5)
        6012 FORMAT(1X,*($/FLIGHT HOUR*,9X,*IOCFH=*,E12.5)
        6013 FORMAT(1X,*CENTS/PASSENGER MILE IOCR=*,E13.5)
        6014 FORMAT(1X,*CENTS/SEAT MILE*,7X,*IOCS=*,E13.5)
        6015 FORMAT(1X,*($/AIRCRAFT MILE*,7X,*IOCAP=*,E12.5)
        6016 FORMAT(1X,*1976 BREAKDOWN ($/TRIP)*,/)
        6017 FORMAT(2X,*SYSTEM=*,E13.5)
        6018 FORMAT(2X,*LOCAL= *,E13.5)
        6020 FORMAT(2X,*APCONT=*,E13.5)
        6021 FORMAT(2X,*CABATT=*,E13.5)
        6022 FORMAT(2X,*FOOD= *,E13.5)
        6023 FORMAT(2X,*PAXHAND=*,E12.5)
        6024 FORMAT(2X,*CARHAND=*,E12.5)
        6025 FORMAT(2X,*OTHSER=*,E13.5)
        6026 FORMAT(2X,*FGTCOM= *,E12.5)
        6027 FORMAT(2X,*GENADM=*,E13.5)
        6030 FORMAT(40X,*MISCELLANEOUS PARAMETERS*)

```

```

380 6031 FORMAT(1X,*SEATS1C=*,F5.0,3X,*SEATSTC=*,F5.0,3X,*NCARATT=*,F5.0,4X
    1,*DEPART=*,F08.2,5X,*WFREIGHT=*,E10.3)
385 6040 FORMAT(/,1X,*1976 TOC ($/MILE)=*,E09.3)
    6060 FORMAT(1X,*DOC IS*,F5.2,* PERCENT OF TOC*,/,* IOC IS*,F6.2,
    1,* PERCENT OF TOC*)
    6045 FORMAT(/)
    C
    C-----RETURN ON INVESTMENT CALCULATIONS
    C
    C-----INPUTS
    C YIELD FROM FIRST CLASS PASSENGERS (CENTS/PASSENGER STATUTE MILE)
390 YLD1C=9.1
    C YIELD FROM TOURIST SEATS (CENTS/PASSENGER STATUTE MILE)
    YLDC=7.0
    C YIELD FROM CARGO (CENTS/TON STATUTE MILE)
    YLDCARG=27.
395 TAXR=48.
    C TAX RATE (PERCENT)
    C INTEREST RATE (PERCENT)
    INTR=10.
    C CHANGE VALUES FOR PROGRAM COMPATIBILITY TO PERCENTAGES
    TAXR=TAXR/100.
    INTR=INTR/100.
    C
    C STEP=.1
    DCFROI=0.
    I=DEPYR
405 C INITIALIZE SUMMATION VARIABLES TO ZERO
    SREV=0.
    SCSTOP=0.
    SCSTDEP=0.
    SPBT=0.
    SINT=0.
    STAX=0.
    SPAT=0.
    SUM = -CSTAPBS
    SRDCF = 0.
415 C GREV=REVENUE INFLATION RATE
    GREV=0.
    C GCSTOP=TOTAL OPERATING COST INFLATION RATE
    GCSTOP=0.
420 C YEAR OF AIRCRAFTS LIFE UNDER CONSIDERATION

```

```

DO 6150 N=1,I
FN=N
REV(N)=((YLDTC*SEATSTC+YLDIC*SEATSIC)*LOADF/100.+
1 (YLDICARG*WCARGO/2000.))*REQRNGS*UTIL/TBLOCK/100.
REV(N)=REV(N)*(1.+GREV/100.)*N
CSTOP(N)=TOCAP*UTIL*SPEEDBL
CSTOP(N)=CSTOP(N)*(1.+GCSTOP/100.)*N
COSTDEP(N)=CSTDEPB*UTIL*SPEEDBL
PROBTAI(N)=REV(N)-CSTOP(N)
BOOK(N)=CSTAPBS-COSTDEP(N)*FN
INTREST(N)=INTR*BOOK(N)
TAX(N)=TAXR*(PROBTAI(N)-INTREST(N))
TEST(N)=PROBTAI(N)-INTREST(N)
IF(TEST(N).LE.0.0) TAX(N)=0.0
PROBTAI(N)=PROBTAI(N)-INTREST(N)-TAX(N)
SREV=SREV+REV(N)
SCSTOP=SCSTOP+CSTOP(N)
SCSTDEP=SCSTDEP+COSTDEP(N)
SPBT=SPBT+PROBTAI(N)
SINT=SINT+INTREST(N)
STAX=STAX+TAX(N)
SPAT=SPAT+PROBTAI(N)
6150 CONTINUE
KEY = 1
100 CONTINUE
SDCF = 0.
C PRESENT VALUE ($)
C DISCOUNTED CASH FLOW FIGURES ($)
DO 110 N = 1,I
PRESVAL(N)=(1.+DCFROI)**(-N)
DCSHFLO(N)=PROBTAI(N)*PRESVAL(N)
SDCF = SDCF + DCSHFLO(N)
110 CONTINUE
IF (KEY .LT. 0.) GO TO 220
NET = SDCF + SUM
IF (DCFROI .EQ. 0. .AND. NET .LT. 0.) GO TO 200
120 CONTINUE
IF (ABS(NET) .LT. 1000.) GO TO 6164
IF (NET) 6157,6164,6158
200 CONTINUE
KEY = -1
ALOSS = NET / I

```

```

465      220 CONTINUE
          SRPAT = 0.
          SRDCF = 0.
          DO 210 N = 1,I
            RPATAI(N) = PROATAI(N) - ALOSS * 2.
            RDCF(N) = RPATAI(N) * PRESVAL(N)
            SRDCF = SRDCF + RDCF(N)
470      210 CONTINUE
          NET = SRDCF + SUM
          GO TO 120
          6158 CONTINUE
                DCFROI=DCFROI+STEP
                IF (DCFROI .GT.1.) GO TO 6164
                GO TO 100
          6157 CONTINUE
                DCFROI=DCFROI+STEP
                STEP = STEP / 10.
                GO TO 100
          6164 CONTINUE
                DCFROI= DCFROI*100.
                IF (SPAT .LT. CSTAPRS) DCFROI = -DCFROI
                WRITE(6,6165)SUM
          485      DO 6152 N=1,I
                    IF (KEY .LT.0.) DCSHFLO(N) = 0.
                    WRITE(6,6155)N*REV(N),CSTOP(N),
                    1COSTDEP(N),PROBTAI(N),BOOK(N),INTREST(N),TAX(N),
                    1 PROATAI(N),PRESVAL(N),DCSHFLO(N)
          490      6152 CONTINUE
          6155 FORMAT(1X,I4,10E13.3)
                WRITE(6,6182)SREV,SCSTOP,SCSTDEP,SPBT,SINT,STAX,SPAT,NET
                WRITE(6,8888)CSTAPRS
                WRITE(6,6166)NET,LOADF
                WRITE(6,6168)YLDIC,YLDTIC,YLDCARG
                WRITE(6,6169)SEATSLC,SEATSTC,WCARGO
          495      C TEST FOR RETURN ON INVESTMENT BEING GREATER THAN 100 PERCENT
                    IF(DCFROI.LE.100.) GO TO 985
                    WRITE(6,905)
          500      905 FORMAT(1X,**RETURN ON INVESTMENT IS GREATER THAN 100 PERCENT**)
                    985 CONTINUE
          C TEST FOR RETURN ON INVESTMENT BEING LESSER THAN -100 PERCENT
                    IF(DCFROI.GE.-100.) GO TO 989
                    WRITE(6,906)

```

```

505      906 FORMAT(1X,*RETURN ON INVESTMENT IS LESS THAN -100 PERCENT*)
      989 CONTINUE
      IF(DCFROI.GE.100.) GO TO 986
      WRITE(6,6167)DCFROI
      986 CONTINUE
      IF (KEY .GT. 0.) GO TO 7119
      WRITE (6,250)
      250 FORMAT (T95,*REVISED CSHFLOS + DCSHFLOS WHEN ROI IS NEG*)
      DO 300 N = 1,1
      300 WRITE (6,310) RPATAI(N), RDCF(N)
      WRITE (6,311) SRPAT,-2*ALOSS,SRDCF
      310 FORMAT (T97,E13.3,T123,E13.3)
      311 FORMAT (T87,*TOTAL*,T97,3E13.3)
      7119 CONTINUE
      GO TO 7113
      7111 CONTINUE
      6165 FORMAT(1H1,/,20X,*RETURN ON INVESTMENT CALCULATIONS*,///,
      1 2X,*YEAR*,5X,*REVENUE*,5X,*OPERATING*,4X,
      2 *COST OF*,3X,*PROFIT BEFORE*,5X,*BOOK*,7X,
      3 *INTEREST*,8X,*TAX*,5X,*PROFIT AFTER*,3X,*PRESENT*,5X,
      4 *DISCOUNTED*,/,25X,*COST*,5X,
      5 *DEPRECIATION*,3X,*TAX AND*,44X,*TAX AND*,
      6 6X,*VALUE*,6X,*CASH FLOW*,/,49X,*INTEREST*,44X,*INTEREST*,/,
      7T123,E13.3)
      6166 FORMAT(1X,*RESIDUE=*,E12.4,1X,*DOLLARS*,
      1 70X,*LOADF= *,F6.2,* PERCENT*)
      6167 FORMAT(1X,*RETURN ON INVESTMENT (INTERNAL)=*,F12.3,* PERCENT*)
      6168 FORMAT(1X,*YLDIC=*,E12.4,* YLDTIC=*,E12.4,* YLDCARG=*,E12.4)
      6169 FORMAT(1X,*SEATSIC=*,F5.0,* SEATSTIC=*,F5.0,* WCARGO=*,E12.4,/)
      6182 FORMAT(1X,135(1H-),/,1X,*TOTAL*,4E13.4,13X,3E13.4,13X,E13.4,/)
      8888 FORMAT(1X,*BASE AIRPLANE AND SPARES COST=*,E12.4,1X,*DOLLARS*)
      END

```

SYMBOLIC REFERENCE MAP (R=3)

ENTRY POINTS	DEF LINE	REFERENCES
4141 RANG	5	



1976 ATA DOC CALCULATIONS, SUBSONIC JET, 3 MAN OR 2 MAN CREW.

1976 ATA DOC CALCULATIONS, SUBSONIC JET, 3 MAN OR 2 MAN CREW.

48

# LOCKHEED IOC METHOD

## 1976 UPDATE- 0.0 PERCENT INFLATION

\$/HLOCK HOUR IOCHL= .26522E+04  
 \$/FLIGHT HOUR IOCFH= .27218E+04  
 CENTS/SEAT MILE IOCS= .12993E+01  
 CENTS/PASSENGER MILE IOCR= .23624E+01  
 \$/AIRCRAFT MILE IOCAP= .50023E+01

## 1976 BREAKDOWN (\$/TRIP)

SYSTEM= .11328E+04  
 LOCAL= .36016E+04  
 APCONT= .67720E+02  
 CABATT= .36149E+04  
 FOOD= .17942E+04  
 PAXHAND= .33541E+04  
 CARHAND= .15069E+02  
 OTHER= .96524E+04  
 FGTCOM= .51282E+01  
 GENADM= .26739E+04

WGROSS= .776E+06 NS= 385. AIRPLANE INPUTS REQUIRED  
 REQNGS= .518E+04 WCARGO= .100E+00 TBLOCK= .977E+01 TFLIGHT= .952E+01  
 (\$/MILE COSTS) CSTLABF= .124E+00 CSTLENG= .267E+00 CSTDEP= .121E+01 DOCAP= .546E+01  
 LOADF= 55.00  
 SEATSLC= 58. SEATSTC= 327. NCABATT= 10. DEPART= 1.00 WFREIGHT= .100E+00  
 MISCELLANEOUS PARAMETERS

1976 TOC (\$/MILE)= .115E+02  
 DOC IS 56.36 PERCENT OF TOC  
 IOC IS 43.64 PERCENT OF TOC

# RETURN ON INVESTMENT CALCULATIONS

YEAR	REVENUE	OPERATING COST	COST OF DEPRECIATION	PROFIT BEFORE TAX AND INTEREST	BOOK	INTEREST	TAX	PROFIT AFTER TAX AND INTEREST	PRESENT VALUE	DISCOUNTED CASH FLOW
1	.351E+08	.260E+08	.274E+07	.913E+07	.356E+08	.356E+07	.268E+07	.290E+07	.958E+00	.383E+08
2	.351E+08	.260E+08	.274E+07	.913E+07	.328E+08	.328E+07	.281E+07	.304E+07	.917E+00	.278E+07
3	.351E+08	.260E+08	.274E+07	.913E+07	.301E+08	.301E+07	.294E+07	.318E+07	.878E+00	.279E+07
4	.351E+08	.260E+08	.274E+07	.913E+07	.274E+08	.274E+07	.307E+07	.333E+07	.841E+00	.280E+07
5	.351E+08	.260E+08	.274E+07	.913E+07	.246E+08	.246E+07	.320E+07	.347E+07	.808E+00	.280E+07
6	.351E+08	.260E+08	.274E+07	.913E+07	.219E+08	.219E+07	.333E+07	.361E+07	.772E+00	.279E+07
7	.351E+08	.260E+08	.274E+07	.913E+07	.192E+08	.192E+07	.347E+07	.375E+07	.739E+00	.277E+07
8	.351E+08	.260E+08	.274E+07	.913E+07	.164E+08	.164E+07	.360E+07	.390E+07	.708E+00	.276E+07
9	.351E+08	.260E+08	.274E+07	.913E+07	.137E+08	.137E+07	.373E+07	.404E+07	.678E+00	.274E+07
10	.351E+08	.260E+08	.274E+07	.913E+07	.109E+08	.109E+07	.386E+07	.418E+07	.649E+00	.271E+07
11	.351E+08	.260E+08	.274E+07	.913E+07	.821E+07	.821E+06	.399E+07	.432E+07	.622E+00	.269E+07
12	.351E+08	.260E+08	.274E+07	.913E+07	.547E+07	.547E+06	.412E+07	.447E+07	.596E+00	.268E+07
13	.351E+08	.260E+08	.274E+07	.913E+07	.274E+07	.274E+06	.425E+07	.461E+07	.570E+00	.263E+07
14	.351E+08	.260E+08	.274E+07	.913E+07	.238E+06	.238E+05	.438E+07	.475E+07	.546E+00	.259E+07
TOTAL	.4916E+09	.3637E+09	.3830E+08	.1279E+09		.2490E+08	.4943E+08	.5355E+08		.7623E+03

BASE AIRPLANE AND SPARES COST= .3830E+08 DOLLARS  
 RESIDUE= .7823E+03 DOLLARS  
 YLDIC= .9100E+01 YLDTIC= .7000E+01 YLDCARG= .2700E+02  
 SEATSIC= 58. SEATSTC= 327. WCARGO= .1000E+00

LOADF= 55.00 PERCENT

RETURN ON INVESTMENT (INTERNAL)= 4.413 PERCENT

1. Report No. NASA TM-80196		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle  COMPUTER PROGRAMS FOR ESTIMATING SUBSONIC CIVIL AIRCRAFT ECONOMICS				5. Report Date January 1980	
				6. Performing Organization Code	
7. Author(s) Dal V. Maddalon John K. Molloy Milton J. Neubauer, Jr.				8. Performing Organization Report No.	
9. Performing Organization Name and Address  NASA Langley Research Center Hampton, VA 23665				10. Work Unit No.  791-40-43-01	
				11. Contract or Grant No.	
12. Sponsoring Agency Name and Address  National Aeronautics and Space Administration Washington, DC 20546				13. Type of Report and Period Covered  Technical Memorandum	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract  Computer programs to calculate airline direct operating cost, and indirect operating cost and return on investment were developed to provide a means for determining commercial aircraft life-cycle cost and economic performance. These program codes can be easily incorporated into existing aircraft design programs. A representative wide-body subsonic jet aircraft was evaluated to illustrate use of the program.					
17. Key Words (Suggested by Author(s))  AIRCRAFT ECONOMICS DIRECT OPERATING COST INDIRECT OPERATING COST RETURN ON INVESTMENT			18. Distribution Statement  Unclassified - Unlimited  Subject Category 83		
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 50	22. Price* \$4.50		